

IN THE CLAIMS:

---

1. (currently amended) A battery pack capable of being connected to an external defibrillator ~~for a medical device~~, the battery pack comprising:

a first power supply for providing power to the external defibrillator for delivering energy to a patient; ~~capable of being connected to the medical device; and~~

a second power supply for providing power to at least one non-energy delivery circuit of the battery pack and the external defibrillator; and

B<sub>1</sub> an indicator to automatically indicate a status of at least a portion of at least one of the first power supply, the second power supply, battery pack and the external defibrillator ~~medical device~~.

2. (original) The battery pack of claim 1 wherein the indicator comprises a visual indicator.

3. (original) The battery pack of claim 2 wherein the visual indicator comprises a light emitting diode.

4. (currently amended) The battery pack of claim 3 wherein the light emitting diode flashes when ~~at least one of the~~ first power supply, the second power supply, battery pack and the external defibrillator ~~medical device~~ are operating properly.

5. (original) The battery pack of claim 3 wherein the light emitting diode flashes to indicate a fault condition.

6. (original) The battery pack of claim 1 wherein the indicator comprises an audio indicator.

7. (original) The battery pack of claim 6 wherein the audio indicator comprises an enunciator.

BI  
Cont  
8. (currently amended) The battery pack of claim 1 wherein the indicator communicates that the external defibrillator ~~medical device~~ has failed a self test.

9. (original) The battery pack of claim 1 wherein the indicator indicates a state of the power supply.

10. (original) The battery pack of claim 1 further comprising a microcontroller connected with the indicator.

11. (original) The battery pack of claim 10 wherein the microcontroller controls the indicator to indicate status.

12. (cancelled)

13. (currently amended) The battery pack of claim 1 wherein the indicator indicates a status independent of the first power supply and second power supply battery pack being connected with the external defibrillator ~~medical device~~.

14-39 (cancelled)

---